

FIG. 2




FIG. 3

AUTOCOUCHE ALIGNMENT DIALOG

TREATMENT DATA

NAME: BICRON_RDUCIAL, P

MEDICAL ID: 021202

PHYSICIANS: ME

CONTROLS

ACQUIRE

310

330

400

MANUAL ALIGNMENT

TRANSLATIONS

INF(+)/SUP(-) 0.3

LEFT(+)/RIGHT(-) 1.0

ANT(+)/POST(-) 1.6

ROTATIONS

ROLL-L(+)/R(-) -0.1

HU(+)/HD(-) -0.1

CCW(+)/CW(-) 0.6

MOVE

☐ USE ROTATIONS

AUTOMATIC ALIGNMENT

MAX NO. OF MOVEMENTS 6

ALIGNMENT CRITERIA

MAX TRANSLATION 2.0

MAX ROTATION 0.5

ALIGN

CANCEL

320

330

400

SYNTHETIC IMAGE A

(-31.6, -24.5) 237.0

SYNTHETIC IMAGE B

(-28.6, -3.1) 258.0

CAMERA IMAGE

(-31.6, -24.5) 237.0

CAMERA IMAGE

(-28.6, -3.1) 258.0

320

330

400

TRACKING MODE

SKULL TRACKING 6D

X-RAY PARAMETERS

Patient Alignment

RESET DISPLAY

ALIGN

ADD

SUBTRACT

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400

320

330

400